

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	145	@ad<"20040301" and hitachi.as. and reconnect\$5.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/25 14:38
S7	8	@ad<"20040301" and hitachi.as. and (reconnect\$5 same processor\$2).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/25 15:47
S10	81	@ad<"20040301" and (path adj reconnect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 12:45
S12	40	@ad<"20040301" and (path adj reconnect\$4) and (request\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 12:28
S13	8	@ad<"20040301" and (path adj reconnect\$4) and (channel\$2 near request\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 12:28
S14	7	@ad<"20040301" and (path adj reconnect\$4) and broadcast\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:16
S15	429	@ad<"20040301" and (710/40-42). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:16
S16	52	@ad<"20040301" and (710/40-42). ccls. and broadcast\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:17

## EAST Search History

S18	49	@ad<"20040301" and (710/40-42), ccls. and broadcast\$4 and request\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:17
S19	29	@ad<"20040301" and (710/40-42). ccls. and broadcast\$4 and request\$2 and count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:22
S22	746	@ad<"20040301" and (channel\$2 adj request\$2) and count\$4 and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:23
S23	417	@ad<"20040301" and (channel\$2 adj request\$2) and counter\$2 and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:23
S24	26	@ad<"20040301" and (channel\$2 adj request\$2) and counter\$2 and threshold\$2 storage\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:23
S25	324	@ad<"20040301" and (channel\$2 adj request\$2) and counter\$2 and threshold\$2 and storage\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:23
S26	2	@ad<"20040301" and (channel\$2 adj request\$2) and counter\$2 and threshold\$2 and storage\$2 and dasd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:39
S28	835	@ad<"20040301" and ((channel\$2 or bandwidth) near (allocat\$4 or demand\$4 or request\$4)) and counter\$2 and threshold\$2 and storage\$2 and host\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:41

## EAST Search History

S29	157	@ad<"20040301" and ((channel\$2 or bandwidth) near (allocat\$4 or demand\$4 or request\$4)) and counter\$2 and threshold\$2 and storage\$2 and host\$2 and (hard adj drive\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:42
S30	151	@ad<"20040301" and ((channel\$2 or bandwidth) near (allocat\$4 or demand\$4 or request\$4)) and counter\$2 and threshold\$2 and storage\$2 and host\$2 and (hard adj drive\$2) and (efficient or optimization or optimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:45
S32	121	@ad<"20040301" and (((channel\$2 or bandwidth) near (allocat\$4 or demand\$4 or request\$4)) same (pending or waiting)) and counter\$2 and threshold\$2 and storage\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 14:46
S33	93	@ad<"20040301" and (((channel\$2 or bandwidth) near (allocat\$4 or demand\$4 or request\$4)) same (pending or waiting))and counter\$2 and threshold\$2 and storage\$2 and (efficient or optimization or optimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:15
S34	471	@ad<"20040301" and (bandwidth adj allocat\$4) and counter\$2 and threshold\$2 and storage\$2 and (efficient or optimization or optimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:15
S36	11	@ad<"20040301" and ((bandwidth adj allocat\$4) same counter\$2 same threshold\$2) and (efficient or optimization or optimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:26
S39	206	@ad<"20040301" and (((channel\$2) adj (request\$5 or allocat\$4)) same (pending or wait\$4)) and disk\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:29
S42	178	@ad<"20040301" and (((channel\$2) adj (request\$5 or allocat\$4)) same (pending or wait\$4)) and disk\$2 and storage\$2 and (control\$5 or manag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:31

## EAST Search History

S43	106	@ad<"20040301" and (((channel\$2) adj (request\$5 or allocat\$4)) same (pending or wait\$4)) and disk\$2 and storage\$2 and (control\$5 or manag\$4) and counter\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:31
S44	103	@ad<"20040301" and (((channel\$2) adj (request\$5 or allocat\$4)) same (pending or wait\$4)) and disk\$2 and storage\$2 and (control\$5 or manag\$4) and counter\$2 and (level\$2 or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:57
S47	226	@ad<"20040301" and (channel near (reconnect\$4 or (re-connect\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:58
S48	148	@ad<"20040301" and (channel near (reconnect\$4 or (re-connect\$4))) and switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 15:59
S49	85	@ad<"20040301" and (channel near (reconnect\$4 or (re-connect\$4))) and switch\$4 and (pending or waiting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 16:02
S50	30	@ad<"20040301" and (channel near (reconnect\$4 or (re-connect\$4))) and switch\$4 and (pending or waiting) and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 16:19
S52	49	@ad<"20040301" and (710/38). ccls. and ((channel\$2 or line\$2) near request\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:01
S53	202	@ad<"20040301" and (buffer\$4 same count\$4 same bandwidth same (request\$4 or allocat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:30

## EAST Search History

S54	22	@ad<"20040301" and (buffer\$4 same count\$4 same bandwidth same (request\$4 or allocat\$4) same threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:03
S59	97	@ad<"20040301" and ((high\$2 adj bandwidth) same (low\$2 adj bandwidth) same mode\$2) and switch\$4 and buffer\$4 and count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:31
S60	23	@ad<"20040301" and ((high\$2 adj bandwidth) same (low\$2 adj bandwidth) same mode\$2 same switch\$4) and buffer\$4 and count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:36
S61	114	@ad<"20040301" and ((high\$2 adj bandwidth) same (low\$2 adj bandwidth) same switch\$4) and buffer\$4 and count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:36
S62	5	@ad<"20040301" and ((high\$2 adj bandwidth) same (low\$2 adj bandwidth) same switch\$4 same buffer\$4) and count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/26 23:36

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	462	@ad<"20040301" and (710/56). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 00:07
S5	18	@ad<"20040301" and (710/56). ccls. and (710/36).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 08:38
S6	78	@ad<"20040301" and (710/15). ccls. and (710/17).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 00:19
S7	1	@ad<"20040301" and (710/15). ccls. and (710/17).ccls. and (710/52).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 00:22
S8	142	@ad<"20040301" and (bandwidth same allocat\$2 same (optimize or optimization or efficient) same (threshold\$2 or level\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 00:23
S9	4	@ad<"20040301" and ((bandwidth near allocat\$2 near (optimize or optimization or efficient)) same (threshold\$2 or level\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 00:23
S11	145	@ad<"20040301" and (710/52). ccls. and FIFO\$2 and threshold\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 08:38
S12	117	@ad<"20040301" and (710/52). ccls. and FIFO\$2 and threshold\$2 and count\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 10:33

## EAST Search History

S15	101	@ad<"20040301" and table\$2 and reconnect\$4 and hitachi.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 10:34
S16	69	@ad<"20040301" and table\$2 and reconnect\$4 and hitachi.as. and (free or available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 10:34
S17	15	@ad<"20040301" and table\$2 and reconnect\$4 and hitachi.as. and (free or available) and busy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/07/27 10:34